

Hinged Wall Mount Brackets



Description

This product is designed to provide a cost-effective solution for mounting patch panels or other networking equipment to a wall. The open design allows for ambient cooling, while the universal hinge design can be mounted on the left or the right side and allows equipment to swing out 160°. This hinged wall mount bracket is available in 1U, 2U, or 4U sizes and features 16" spacing of keyholes for easy mounting to wall studs, through the wall cable access via cut out holes, and a folded edge, U-shaped construction for added strength and stability. Optional top cover plate available. Wall mount hardware not included.

Product Specifications

Product Type: Hinged Wall Mount Bracket Material: 16 Gauge Cold Rolled Steel Finish: Black Powder Coated Loading Capacity: Varies By Item # No. of Pieces: 1 Finish: Black Powder Coated Dimensions (HxWxD): Varies By Item # Unit Weight: Varies By Item # Rack Unit Quantity: 1U, 2U or 4U Mounting Hardware: Included Compliance & Standards: ANSI / EIA RS-310D & RoHs Compliant Quantity Per Package: Sold Individually Carton Dimensions (HxWxD): Varies By Item #

Description Hinged Wall Mount Bracket Loading Unit Dims Unit **Carton Dims** Carton Rack Item # Weight Units (HxWxD) (HxWxD) Capacity Weight 2.375" X 21.25" X 7.875" VB1-011 1U 11 Lbs. 1.87" X 20.5" X 6.7" 2.2 Lbs. 4.4 Lbs. 2U VB1-021 17 Lbs. 3.63" X 20.5" X 6.7" 3.3 Lbs. 4.75" X 21.25" X 7.875" 5.5 Lbs. VB1-041 4U 17 Lbs. 7.11" X 20.5" X 6.7" 5.5 Lbs. 8.7" X 21.25" X 7.875" 7.7 Lbs.

Ordering Information


TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20200113.5





Hinged Wall Mount Brackets

Technical Drawing: 1U



Technical Drawing: 2U





0.63'

0.63"

Detail C

0.37

<u>0.37</u>

Detail D

TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.


REV.20200113.5





Hinged Wall Mount Brackets

Technical Drawing: 4U



TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20200113.5

© 2020 Vericom Global Solutions info@vericomsolutions.com • vericomsolutions.com