

HDMI Female to Female Adapter



Applications

The Vericom female to female HDMI splice fixed adapter is suited for combining male HDMI cables and components.

Description / Specifications

This female to female HDMI splice fixed adapter features a durable molded PVC housing, gold plated contacts and corrosion resistant gold plated connectors. This coupler is the perfect solution for extending the length of your HDMI connection while maintaining signal integrity for your specific installation needs.

Features & Benefits

- Ideally used in a situation where a female to female splice is needed to extend the length of HDMI cables in order to connect components
- Performs using high speed multimedia HDMI cables compatible with Full HD 1080p components
- Supports high-bandwidth uncompressed digital audio and all currently-available compressed formats such as Dolby Digital and DTS
- · Displays natural vivid colors accurately
- Enable single-link bandwidth of 340 MHz 10.2 Gbps to support the demands of future HD display devices such as higher resolutions, Deep Color™ and high-frame rates
- Ensures compatibility with the lossless compressed digital-audio formats of Dolby™ True HD and DTS-HD Master Audio™ for high-resolution audio
- Features the latest technology with Audio Return Channel (ARC) functionality

Standards Compliance

RoHS Compliant

TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20200908.2





HDMI Female to Female Adapter

Ordering Information

Description	Item No.
Adapter: HDMI Female to Female Splice	XACHD-01246

Construction

Adapter Type: Splice Female to Female HDMI Housing Material: Polyvinyl Chloride (PVC)

Connector Finish: Gold Plated Housing Color: Black

Connector Contacts: Gold Plated

Electrical


Transition Minimized Differential Signaling (TMDS): Throughput of 10.2 Gbps

Open and Short Test: 100%

Insulation Resistance: DC 300V $10M\Omega$

Conductor Resistance: 30

Technical Illustration



TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20200908.2