



Wall Mount J-Hooks



Features

- Provides support for CAT5e, CAT6, CAT6A, and other low-voltage cables
- High-quality galvanized steel
- Maximum load up to 60 lbs.
- Available sizes: 3/4" 1-5/16", 2", and 4"
- Includes retainer clip (except 3/4")


Description

Vericom's galvanized steel J-hooks are a versatile and cost-effective solution for organizing and supporting low-voltage cables in commercial and industrial environments. Perfect for managing cables in drop ceilings, under raised floors, or along walls, these hooks provide reliable cable management wherever you need it.

- Protects cable integrity: The wide, smooth, and beveled base prevents sharp bends, stress, and kinks that can damage sensitive data cables.
- Durable and rust-resistant: Constructed from high-quality, galvanized steel, our J-hooks are built for long-lasting performance.
- Flexible and scalable: The non-continuous design allows for flexible cable routing in spaces that can't accommodate traditional cable trays or raceways.
- Quick and easy installation: Mount to walls, beams, ceilings, or threaded rods using various attachments, such as beam clamps, angle brackets, or clips.

| ITEM NUMBER | DESCRIPTION | A (Dia) | B | C | CAPACITY | | CARTON | | |
|-------------|--|---------|--------------|-------------|----------|------|--------|-------------------|----------|
| | | | | | CAT5e | CAT6 | Pack | DIMS (in) | WT (lbs) |
| JHW07 | 3/4" Wall Mount J-Hook | 3/4" | 3.12 [79.3] | 0.87 [22.0] | 16 | 10 | 50 | 7.3 x 5.9 x 4.3 | 2.9 |
| JHW13 | 1 5/16" Wall Mount J-Hook w/Retaining Clip | 1 5/16" | 4.22 [107.3] | 1.34 [34.1] | 50 | 30 | 50 | 12.8 x 6.3 x 7.7 | 6.6 |
| JHW20 | 2" Wall Mount J-Hook w/Retaining Clip | 2" | 4.65 [118.0] | 1.38 [35.0] | 80 | 50 | 50 | 14.2 x 8.1 x 7.5 | 9.3 |
| JHW40 | 4" Wall Mount J-Hook w/Retaining Clip | 4" | 7.01 [178.0] | 1.93 [49.0] | 300 | 185 | 25 | 21.1 x 8.1 x 10.8 | 10.4 |

dimensions in inches [millimeters]



TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20250910.1